

ODM98-P

<https://www.gigahertz-optik.com/en-us/product/odm98-p>

Product tags:



Description

ODM98 raw material

Raw ODM98 plates can be used for machining flat reflectance standards and small size components like integrating sphere baffles and other optical components requiring high reflectance.

OEM

For cost effectiveness the size of the raw plate should be as close as possible to the maximum dimensions of the final product. Custom size plates can be ordered for larger quantity OEM orders.

Single parts

Custom size plates are not available for prototypes or in small quantities. For small quantity orders Gigahertz-Optik stocks different size standard plates for fast delivery. Contact our sales department to discuss your raw block requirements.

Note: Raw plates surfaces must be machined to an optical finish.

Specifications

Product	
optical properties	see technical article
Options	
ODM98-P01	Dimensions: 560 mm x 260 mm x 12 mm
ODM98-P02	Dimensions: 305 mm x 305 mm x 12 mm
ODM98-P03	Dimensions: 260 mm x 260 mm x 12 mm
ODM98-P04	Dimensions: 135 mm x 135 mm x 12 mm
ODM98-P05	Dimensions: 55 mm x 55 mm x 12 mm

Purchasing information

Article-Nr	Modell	Description
Product		

Article-Nr	Modell	Description
15296491	ODM98-P01	Raw material plate; reflectance 98%; 520mm×260mm×12mm
15296492	ODM98-P02	Raw plate material; Reflectance 98%; 310mm×310mm×12mm
15296493	ODM98-P03	Raw plate material, reflectance 98%; 260mm×260mm×12mm
15296494	ODM98-P04	Raw plate material; reflectance 98%; 135mm×135mm×12mm
15296495	ODM98-P05	Raw plate material; reflectance 98%; 55mm×55mm×12mm